

MO

Quantity
Model Number
Model Name
Model Year
Carburation
Compression Ratio
Engine Displacement (cm ³)
Engine Type
Starter
Brakes Front
Brakes Rear
Suspension Front
Suspension Rear
Tyres Front
Tyres Rear
Wheels Front
Wheels Rear
Caster Angle
Dimensions (L×W×H) (mm)
Frame type
Fuel Tank Capacity (Litres)
Ground Clearance (mm)
Net Weight (kg)

Seat Height (mm)
Trail (mm)
Wheelbase (mm)
Clutch
Final Drive
Transmission Type

TO CYCLE SPECIFICATION

3 Nos
ACF110CBTS-3AD
SCOOPY-PRESTIGE 2025
2025
PGM-FI electronic fuel injection
10.0:1
109.51
eSP, 4-stroke, SOHC, Air cooled
Electric and Kick Start
Hydraulic disc brake
Drum
Telescopic
Swing unit
100/90-12 59J Tubeless
110/90-12 64J Tubeless
Cast wheel
Cast wheel
26° 22'
1,869 x 693 x 1,075
Underbone: eSAF (Enhanced Smart Architecture Frame)
4.2
149
94

750
84
1251
Automatic, centrifugal dry clutch
V-Belt
V-Matic